

## AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application:

### Listing of Claims:

1. (Currently Amended) A system for handling phone services, comprising:  
a computing device without an attached audio input and output device, the computing device having comprising:  
at least one standalone operating state; and having  
a telecommunications interface for coupling to a mobile phone network, the telecommunications interface operable to receive data from the mobile phone network including at least some audio data; and  
an ignition switch interface configured to connect to the ignition switch of an automobile; and  
a computer without a telecommunications interface for coupling to a mobile phone network, the computer having a network interface for coupling with the ignition switch interface of the computing device to receive data from the mobile phone network via the telecommunications interface at the computing device including at least some audio data.
2. (Original) The system of claim 1 further comprising an audio input and output device external to the computing device, the audio input and output device having a network interface for coupling with the computing device to receive audio from the mobile phone network.
3. (Original) The system of claim 1 wherein the network interface for coupling with the computing device to receive data from the mobile phone network comprises a network interface for coupling with the computing device to send data to the mobile phone network.
4. (Original) The system of claim 2 wherein the network interface for coupling with the computing device to receive audio from the mobile phone network comprises a network interface for coupling with the computing device to send audio to the mobile phone network.

5. (Currently Amended) The system of claim 1 wherein the telecommunications interface for coupling to a mobile phone network comprises a telecommunications interface for coupling to at least one of a Global System for Mobile Communications network, a Code Division Multiple Access network, a General Packet Radio Services network, or a Global System for Mobile Communications Internet Protocol network.

6 -8 (Cancelled)

9. (Original) The system of claim 1 wherein the network interface for coupling with the computing device comprises a personal area network interface.

10. (Original) The system of claim 1 wherein network interface for coupling with the computing device comprises a local area network interface.

11. (Original) The system of claim 1 wherein the network interface for coupling with the computing device comprises a wide area network interface.

12. (Original) The system of claim 2 wherein the audio input and output device external to the computing device comprises a headset.

13. (Original) The system of claim 2 wherein the audio input and output device external to the computing device comprises a conference station.

14. (Original) The system of claim 1 further comprising a display coupled to the computing device.

15. (Original) The system of claim 14 wherein the display comprises a notification indicator.

16. (Original) The system of claim 15 wherein the notification indicator comprise a light.

17. (Original) The system of claim 14 wherein the display uses at least one member of the set comprising visual, audible, and tactile representations.

18. (Original) The system of claim 1 further comprising a button coupled to the computing device for providing input to operating the computing device.

19. (Original) The system of claim 18 wherein the button comprises an application button dedicated for operating a particular application.

20. (Original) The system of claim 1 further comprising an authentication interface operably coupling an authentication host to the computing device.

21. (Original) The system of claim 20 wherein the authentication interface comprises USB connectivity and smart card functionality for the computing device to operate as a readerless smart card.

22. (Currently Amended) A system for handling phone services, comprising:  
a computing device without an attached audio input and output device, the computing device ~~having comprising:~~  
at least one standalone operating state; ~~and having~~  
a telecommunications interface for coupling to a mobile phone network, the telecommunications interface operable to receive data from the mobile phone network ~~including at least some audio; and~~  
an ignition switch interface configured to connect to the ignition switch of an automobile.  
and  
~~an audio input and output device external to the computing device, the audio input and output device having a network interface for coupling with the computing device to receive audio from the mobile phone network via the telecommunications interface at the computing device.~~

23. (Original) The system of claim 22 wherein the network interface for coupling with the computing device to receive audio from the mobile phone network comprises a network interface for coupling with the computing device to send audio to the mobile phone network.

24. (Currently Amended) The system of claim 22 wherein the telecommunications interface for coupling to a mobile phone network comprises a telecommunications interface for coupling to a Global System for Mobile Communications network, a Code Division Multiple Access network, a General Packet Radio Services network, or a Global System for Mobile Communications Internet Protocol network.

25-27 (Cancelled)

28. (Original) The system of claim 22 wherein the network interface for coupling with the computing device comprises a personal area network interface.

29. (Original) The system of claim 22 wherein network interface for coupling with the computing device comprises a local area network interface.

30. (Original) The system of claim 22 wherein the network interface for coupling with the computing device comprises a wide area network interface.

31. (Currently Amended) The system of claim 22 ~~wherein the~~ further comprising an audio input and output device external to the computing device coupled through a network interface to the computing device, wherein the audio input and output device comprises a headset.

32. (Currently Amended) The system of claim 22 wherein ~~the~~ further comprising an audio input and output device external to the computing device coupled through a network interface to the computing device, wherein the audio input and output device comprises a conference station.

33. (Original) The system of claim 22 further comprising a display coupled to the computing device.

34. (Original) The system of claim 33 wherein the display comprises a notification indicator.

35. (Original) The system of claim 34 wherein the notification indicator comprise a light.

36. (Original) The system of claim 33 wherein the display uses at least one member of the set comprising visual, audible, and tactile representations.

37. (Original) The system of claim 22 further comprising a button coupled to the computing device for providing input to operating the computing device.

38. (Original) The system of claim 22 wherein the button comprises an application button dedicated for operating a particular application.

39-40 (Cancelled)

41. (New) The system of claim 1 wherein the ignition switch interface configured to connect to the ignition switch of an automobile comprises an automobile key.

42. (New) The system of claim 1 wherein the ignition switch interface configured to connect to the ignition switch of an automobile comprises a USB interface.

43. (New) The system of claim 1 wherein the ignition switch interface configured to connect to the ignition switch of an automobile facilitates at least one of power being supplied to the computing device, an antenna signal being received by the computing device, and audio being transmitted between the computing device and the computer.

44. (New) The system of claim 22 wherein the ignition switch interface configured to connect to the ignition switch of an automobile comprises an automobile key.

45. (New) The system of claim 22 wherein the ignition switch interface configured to connect to the ignition switch of an automobile comprises a USB interface.

46. (New) The system of claim 22 wherein the ignition switch interface configured to connect to the ignition switch of an automobile facilitates at least one of power being supplied to the computing device, an antenna signal being received by the computing device, and audio being transmitted between the computing device and the computer.